





## TRAORDINARY DRIVING EXPERIENCE

Sporty without the sweat. CelerioX is here to reform city driving and revolutionise road trips with the **Auto Gear Shift (AGS) technology.** 





'Bold and sporty' is the look of the new age. And that's what CelerioX wears - a mix of confidence and radiance. Its 'X' graphic makes for a bold entry while the sporty interiors feature an exciting blend of orange accents and black hues.



## CITING PERFORMANCE

Feel that first burst of energy as you turn on the ignition. With the **K-Next Engine** with Drive-by-Wire technology, feel the power while experiencing amazing fuel efficiency.





\*As certified by Test Agency under Rule 115 of CMVR, 1989.







Be at complete ease as you discover a world of space in the new CelerioX. Beyond its generous cabin space, there is Seat Height Adjuster, Electronic ORVM and a host of other features that take care of your comfortable driving experience.



— SEAT HEIGHT ADJUSTER —



Whether it's a long drive on a highway, or a short journey through the rains, stay safe in the new CelerioX. Always.



— DUAL AIRBAGS —

ANTI-LOCK BRAKING SYSTEM FOR BETTER CONTROL

FRONT SEAT BELTS PRE-TENSIONER
AND FORCE LIMITER

PEDESTRIAN, OFFSET AND SIDE IMPACT SAFETY COMPLIANCE

## **EQUIPMENT LIST**


		N	/IT			A	MT	
Variants	VXi MT	VXi MT(O)	ZXi MT	ZXi MT (Opt)	VXi AMT	VXi AMT(O)	ZXi AMT	ZXi AMT (O)
Exteriors								
ORVM with Turn Indicators	Х	Х	✓	<b>✓</b>	Х	Х	✓	✓
Body Colored Bumper	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓
Front Fog Lamps	Х	Х	Х	✓	Х	Х	Х	Х
Bumper Cladding	✓	✓	✓	✓	<b>✓</b>	✓	✓	<b>✓</b>
Body Side Cladding	✓	<b>√</b>	✓	✓	<b>√</b>	<b>√</b>	✓	✓
Bumpers Guard Extension	<b>√</b>	<b>√</b>	✓	<b>V</b>	<b>✓</b>	<b>√</b>	✓	✓
Door Side Moldings	✓	<b>√</b>	✓	<b>V</b>	<b>✓</b>	<b>√</b>	✓	<b>✓</b>
Add on Part for Rear Bumper Garnish	<b>√</b>	<b>√</b>	<b>√</b>	<b>V</b>	1	<b>√</b>	1	<b>✓</b>
Black Colored Front Bumper Bezel	✓	<b>√</b>	✓	<b>V</b>	<b>√</b>	<b>√</b>	✓	✓
B Pillar Black Out	✓	<b>√</b>	✓	<b>V</b>	<b>√</b>	<b>√</b>	✓	✓
Black Roof Rail	✓	<b>√</b>	✓	<b>V</b>	<b>√</b>	<b>√</b>	✓	✓
Black Painted ORVMs	<b>√</b>	<b>√</b>	✓	<b>V</b>	1	<b>√</b>	1	<b>✓</b>
Black Painted Outside Door Handles	✓	<b>√</b>	✓	<b>√</b>	<b>√</b>	<b>√</b>	✓	✓
Black Full Wheel Covers	✓	<b>√</b>	✓	Х	<b>✓</b>	<b>√</b>	<b>√</b>	✓
Body Colored Back Door Garnish	1	<b>√</b>	<b>✓</b>	1	1	1	<b>✓</b>	<b>✓</b>
Alloy Wheels - Black Color	Х	Х	Х	1	Х	Х	Х	Х
Interiors								
Co-Dr Vanity Mirror in Sun Visor	✓	✓	✓	<b>V</b>	1	✓	1	✓
Door Trim Fabric - Front Door	Х	Х	✓	<b>√</b>	Х	Х	✓	<b>√</b>
Day Night IRVM	<b>√</b>	<b>√</b>	<b>√</b>	<b>V</b>	1	<b>√</b>	1	<b>✓</b>
Driver Seat Height Adjuster	Х	Х	Х	✓	Х	Х	Х	Х
Front Seat Back Pockets (Passenger Side)	Х	Х	✓	✓	Х	Х	✓	<b>✓</b>
Rear Seat (60:40 split)	1	✓	✓	✓	<b>√</b>	✓	✓	·
Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Comfort and Convenience								
Air Conditioner (Manual)	✓	✓	✓	✓	<b>/</b>	<b>✓</b>	✓	✓
Audio with Radio, CD, USB, AUX-in & Bluetooth	х	х	✓	<b>√</b>	х	х	✓	✓
No. of Speakers	Х	х	4	4	х	х	4	4
Keyless Entry (5 Doors)	Х	х	✓	<b>✓</b>	×	х	✓	✓
Security System	Х	х	х	1	х	х	х	Х
Central Door Lock (5 Doors)	✓	✓	✓	1	1	✓	✓	✓
Electric Windows (Power Windows)	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	✓	✓	✓	✓	✓	✓	✓	✓
Outside Mirrors Type	Inside Manual	Inside Manual	Electrically Adjustable	Electrically Adjustable		Inside Manual	Electrically Adjustable	Electrically Adjustable
Audio Controls in Steering Wheel	Х	Х	✓	<b>1</b>	Х	Х	✓	<b>√</b>
Power Steering	✓	<b>√</b>	<b>√</b>	1	<b>✓</b>	<b>√</b>	<b>√</b>	✓

		N	IT .			AMT			
Variants	VXi MT	VXi MT(O)	ZXi MT	ZXi MT (Opt)	VXi AMT	VXi AMT(O)	ZXi AMT	ZXi AMT (O)	
Central Console & Instrument Panel									
Illumination Colour	Amber								
Tachometer	Х	Х	✓	✓	✓	✓	✓	✓	
Urethane Steering Wheel	✓	<b>√</b>	✓	<b>√</b>	<b>1</b>	<b>✓</b>	<b>√</b>	1	
Tilt Steering	Х	Х	✓	<b>√</b>	х	Х	✓	✓	
Accessory Socket	✓	<b>~</b>	<b>✓</b>	1	1	1	<b>1</b>	1	
Dial-type Climate Control	Silver Painted								
Gear Position Indicator	Х	Х	Х	Х	<b>√</b>	<b>√</b>	✓	✓	
Safety and Security									
Driver Airbag	✓	✓	✓	✓	<b>✓</b>	✓	✓	✓	
Passenger Airbags	Х	<b>√</b>	Х	1	х	<b>✓</b>	Х	1	
Driver Seat Belt Reminder & Buzzer	✓	<b>√</b>	<b>✓</b>	1	1	<b>✓</b>	<b>/</b>	1	
Pedestrian Protection	✓	<b>V</b>	<b>√</b>	<b>✓</b>	<b>1</b>	<b>✓</b>	<b>√</b>	1	
ABS	Х	✓	Х	<b>✓</b>	х	<b>✓</b>	Х	1	
Front Seat Belts Pre-tensioner and Force Limiter	Х	<b>~</b>	Х	1	Х	<b>✓</b>	Х	1	
Headlight Leveling	<b>~</b>	<b>√</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>1</b>	<b>1</b>	
Rear Window Wiper & Washer	Х	Х	<b>✓</b>	1	х	Х	<b>✓</b>	1	
Front Ventilated Disc	✓	<b>~</b>	✓	1	1	<b>✓</b>	<b>/</b>	1	
Immobilizer	✓	<b>_</b>	✓	<b>~</b>	<b>1</b>	<b>✓</b>	✓	✓	
Child Proof Rear Door Locks	<b>~</b>	<b>√</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>/</b>	1	
Rear Window Demister	Х	Х	<b>√</b>	<b>√</b>	Х	Х	<b>√</b>	<b>4</b>	
Outside Air Temperature Display	Х	Х	Х	Х	1	<b>✓</b>	<b>/</b>	1	
Fr-Front, Rr-Rear, Dr-Driver, MT-Manual	Tranemiee	ion AMT	- Automati	c Manual	Transmiss	ion O/Ont	-Ontional		



Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment. For variant specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. 2020 Sales Points, 3200 Service Centres, 1652 cities covered by service network & over 34293 trained sales personnel as on 1st April, 2017.

\*Spare wheel material is steel and spare tyre size is VXi and above - 165/70R14.









## Maruti Suzuki India Limited

For more details please contact your nearest Maruti Dealership today or call at 1800 102 1800 (Toll Free).

SPECIFICATION SHEET		PETROL				
Dimensions (in mm)						
Overall Length		3715				
Overall Width		1635				
Overall Height		1565				
Wheelbase		2425				
Tread Front		1420				
Tread	Rear	1410				
Engine						
Туре		K10B				
Capacity		998 cc				
Engine Type		Aluminum				
Number of Cylinders		3				
Number of Valves in Each Cylinder		4				
Maximum Output (kW/rpm)		50@6000				
Maximum Torque (Nm/rpm)		90@3500				
Emission Standard Type		BS4+OBD II				
Accelerator Pedal Type		Electric type				
Transmission						
Transmission Type		5MT/ Auto Gear Shift				
		5MT/ Auto Gear Shift				
Туре		5MT/ Auto Gear Shift  Mac Pherson Strut with Coil Spring				
Type Suspension System						
Type Suspension System Front		Mac Pherson Strut with Coil Spring				
Type Suspension System Front Rear	)	Mac Pherson Strut with Coil Spring				
Type Suspension System Front Rear Weight (kg)	)	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options)	)	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight	Persons	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity		Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity	Persons	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity	Persons Litres	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250 5 235				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity Fuel Tank Capacity	Persons Litres	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250 5 235				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity Fuel Tank Capacity Power Steering	Persons Litres	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250 5 235				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity Fuel Tank Capacity Power Steering Type	Persons Litres	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250 5 235				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity Fuel Tank Capacity Power Steering Type Tyres	Persons Litres	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250 5 235 35 Electronic Power Steering				
Type Suspension System Front Rear Weight (kg) Kerb Weight (Min./with Full Options) Gross Vehicle Weight Capacity Seating Capacity Luggage Capacity Fuel Tank Capacity Power Steering Type Tyres Tyre size*	Persons Litres	Mac Pherson Strut with Coil Spring Coupled Torsion Beam Axle with Coil Spring 835/850 1250 5 235 35 Electronic Power Steering				

**SPECIFICATION SHEET**